AUTHOR INDEX TO VOLUME 74

Abe, T., see N. Okamoto 74 (1990) 421
Abraham, N.B., see L.M. Hoffer 74 (1989) 261
Abraham, N.B., see J.Y. Gao 74 (1990) 409
Abramochkin, E.G. and V.G. Volostnikov, Two-dimensional phase problem: differential approach 74 (1989) 139
Abramochkin, E.G. and V.G. Volostnikov, Relationship between two-dimensional intensity and phase in a Fresnel diffraction zone 74 (1989) 144
Agarwal, G.S., Redistribution of the output spectrum of a parametric oscillator by intracavity ground-state atoms 74 (1989) 65
Agarwal, G.S., see N.C. Kothari 74 (1990) 342
Akiyama, K., see K. Kobayashi 74 (1989) 165
Andrews, A.J., see R.A. Cotton 74 (1989) 214
Andreyev, A.M. and V.M. Ginzburg, Application of Talbot effect to drops and thin films shape and wetting angles measurements 74 (1989) 171
Appelt, S., P. Scheufler and M. Mehring, Direct observation of single- and double-quantum sublevel coherence in rubidium vapor by optical Raman beat detection 74 (1989) 110
Arecchi, F.T., see G. Giacomelli 74 (1989) 97
Asakura, T., see K. Kobayashi 74 (1989) 165
Assanto, G., see L. Wan 74 (1990) 361
Avakyan, V.M., B.V. Kryzhanovsky and D.G. Sarkisyan, Investigation of transient electronic SRS by the excitation and probing technique using double train of picosecond pump pulses 74 (1989) 223

Badoz, J., see M.P. Silverman 74 (1989) 129
Bajer, J., New method for improving squeezed light generation involving pump fluctuations 74 (1989) 233
Bakos, J.S., I.B. Földes, P.N. Ignácz, G. Kocsis, J. Szigeti and J. Kovács, Absolute measurement of velocity distribution of neutrals in sodium laser blow-off beam 74 (1990) 374
Baton, S.D., C. Labaune and J.L. Lacaze, Influence of absorption and refraction on laser interaction studies in preformed plasmas 74 (1989) 195
Bélanger, P.-A., see C. Paré 74 (1989) 228
Bendjaballah, C. and H. le Pas de Sécheval, Cut-off rate for a noiseless binary channel in the direct detection of squeezed light 74 (1990) 403
Benenson, Z.M. and T.V. Yakovleva, The theory of stimulated Mandelshtam-Brillouin scattering in "running" conditions with explanation of the effect of Stokes' frequency modulation due to inhomogeneities of the scattering medium 74 (1989) 269
Bhatnagar, R., S.K. Dixit, B. Singh and S.V. Nakhe, Performance of a copper vapor laser with self filtered unstable resonator 74 (1989) 93
Blanco, R., see L. Pesquera 74 (1989) 102
Boardman, A.D., T. Twardwoski and E.M. Wright, The effect of diffusion on surface-guided nonlinear TM waves: a finite element approach 74 (1990) 347
Bradberry, G.W., see F. Yang 74 (1989) 1
Burdulis, S., R. Grigonis, A. Piskarskas, G. Sinkevicius, A. Fix, J. Nolting and

0030-4018/90/$03.50 © Elsevier Science Publishers B.V. (North-Holland)

R. Wallenstein, Visible optical parametric oscillation in synchronously pumped beta-barium borate 74 (1990) 398

Cairns, B. and E. Wolf, Comparison of the Born and the Rytov approximations for scattering on quasi-homogeneous media 74 (1990) 284
Calzavara, M., see G. Giacomelli 74 (1989) 97
Carlisle, C.B. and D.E. Cooper, An optical isolator for mid-infrared diode lasers 74 (1989) 207
Chałasińska-Macukow, K., J. Piliszek and B. Janowska-Dmoch, Scale-invariant limitations of anamorphic Fourier correlators 74 (1989) 25
Chartier, J.-M., S. Fredin-Picard and L. Robertsson, Frequency-stabilized 543 nm He Ne laser systems: a new candidate for the realization of the metre? 74 (1989) 87
Chatterjee, S., Probability of arrival of rays of light for propagation through random media: connection with rotational brownian motion 74 (1989) 149
Chen, D., see N. Okamoto 74 (1990) 421
Chen, J.W., V. Nassisi and M.R. Perrone, Narrow-linewidth SFUR applied to a XeCl laser 74 (1989) 211
Chen, K.-C., see S.-L. Chen 74 (1989) 84
Chen, S.-L., Z.-H. Zhu and K.-C. Chen, A class of novel laser dyes: triphenodioxazines 74 (1989) 84
Chen, X., V.L. Telegdi and A. Weis, Quantitative study of the nonlinear Macaluso–Corbino (resonant Faraday) effect in Cs 74 (1990) 301
Chen, Z., see Y. Xie 74 (1990) 339
Cheng, Y.S., see F.T.S. Yu 74 (1989) 19
Cherri, A.K. and M.A. Karim, Edge detection using optical symbolic substitution 74 (1989) 10
Chichkov, B.N. and E.E. Fill, A neon-like X-ray laser photoresonant pumping scheme 74 (1989) 202
Clapham, S.L., R.W. Eason and N.A. Vainos, Spatial light modulation via enhanced diffraction efficiency of photochromic gratings in photorefractive BSO 74 (1990) 290
Cooper, D.E., see C.B. Carlisle 74 (1989) 207
Cotton, R.A., A.J. Andrews and C.E. Webb, Radiation induced opacity: application to pulse shortening of a KrF laser 74 (1989) 214
Cross, G.H., A.R. Oldroyd and M.R. Worboys, The linear electro-optic response in crystals of 4-nitro-4′-methyl benzylidene aniline (NMBA) 74 (1990) 425
Cuykendall, R., see K.H. Strobl 74 (1990) 389

Danckaert, J., see M. Haelterman 74 (1989) 238
Dentan, V., see D. Morichère 74 (1989) 69
Dey, K.K., see K.V.S. Subramaniyam 74 (1989) 49
Dianov, E.M., A.V. Kuznetsov, A.A. Maier, O.G. Okhotnikov, K.Yu. Sitarsky and I.A. Shcherbakov, Observation of radiation self-switching in dual-core fiber coupler with separated ends 74 (1989) 152
Dinev, S.G., G.G. Hadjichristov and I.L. Stefanov, Efficient red stimulated emission enhanced by quadrupole Raman scattering 74 (1989) 176
Dixit, S.K., see R. Bhatnagar 74 (1989) 93
Dumont, M., see D. Morichère 74 (1989) 69
Dyer, P.E. and J.S. Leggatt, Phase conjugation studies of a quasi-cw CO_2 laser in liquid CS_2 74 (1989) 124

Eason, R.W., see S.L. Clapham 74 (1990) 290
Endo, A., see M. Itoh 74 (1989) 253

Fill, E.E., see B.N. Chichkov 74 (1989) 202
Fix, A., see S. Burdulis 74 (1990) 398
Földes, I.B., see J.S. Bakos 74 (1990) 374
Fredin-Picard, S., see J.-M. Chartier 74 (1989) 87
Fujimura, H., see N. Okamoto 74 (1990) 421

Gagnon, L., see C. Paré 74 (1989) 228
Gao, J.Y., G.X. Jin, J.W. Sun, X.Z. Guo, Z.R. Zhen and N.B. Abraham, Phase shifts and frequency lockings in a modulated bistable device 74 (1990) 409
Gavrielides, A., see L.Z. Wang 74 (1989) 59
Giacomelli, G., M. Calzavara and F.T. Arecchi, Instabilities in a semiconductor laser with delayed optoelectronic feedback 74 (1989) 97
Ginzburg, V.M., see A.M. Andreyev 74 (1989) 171
Gori, F., C. Palma and M. Santarsiero, A scattering experiment with partially coherent light 74 (1990) 353
Grande, M., M.H. Key, G. Kiehn, C.L.S. Lewis, G.J. Pert, S.A. Ramsden, G. Regan, S.J. Rose, R. Smith, T. Tomie and O. Willi, Measurement and detailed analysis of single pass gain at 81 Å in a recombining laser produced fluorine plasma 74 (1990) 309
Grigonis, R., see S. Burdulis 74 (1990) 398
Gu, S., see Y. Xie 74 (1990) 339
Guo, X.Z., see J.Y. Gao 74 (1990) 409
Gupta, P.K. and R.G. Harrison, Frequency stable long pulse operation of a self sustained TE CO_2 laser 74 (1990) 318

Hadjichristov, G.G., see S.G. Dinev 74 (1989) 176
Haelterman, M., P. Mandel, J. Danckaert, H. Thienpont and I. Veretennicoff, Two-beam nonlinear Fabry-Perot transmission characteristics 74 (1989) 238
Harrison, R.G., see P.K. Gupta 74 (1990) 318
Harrison, R.G., see W. Lu 74 (1990) 393
He, A.-Z., see X.-W. Ni 74 (1989) 185
Hiraga, H., Y. Ishida and T. Yajima, High-power tunable femtosecond laser system using high dispersion prism compressors 74 (1990) 323
Hoffer, L.M. and N.B. Abraham, Analysis of a coherent model for a homogeneously broadened bidirectional ring laser 74 (1989) 261
Honda, T., see M. Yachida 74 (1989) 5
Huang, X., see S. Qian 74 (1990) 414
Huang, Y., see Y. Xie 74 (1990) 339
Huang, Z.Z., see J.Y. Zhou 74 (1989) 75
Humes, D.H., see J.H. Lee 74 (1990) 380

Ignácz, P.N., see J.S. Bakos 74 (1990) 374
Ilev, I.K., see T.G. Kortenski 74 (1990) 370
Inouye, K., see H. Nakatsuka 74 (1989) 219
Ishida, Y., see H. Hiraga 74 (1990) 323
Itoh, M., A. Endo, K. Kuroda, S. Watanabe and I. Ogura, Laser-induced damage threshold and absorption measurements in rare-gas-halide excimer laser components 74 (1989) 253

Janowska-Dmoch, B., see K. Chałasińska-Macukow 74 (1989) 25

Jin, G.X., see J.Y. Gao 74 (1990) 409
Johnston, R.G., K. Manley and C.L. Lemanski, Characterizing gastrolith surface roughness with light scattering 74 (1990) 279

Kadono, H. and S. Toyooka, Experimental study of the optical velocimeter using a double-exposure specklegram 74 (1989) 159
Kajzar, F., see D. Morichère 74 (1989) 69
Karim, M.A., see A.K. Cherri 74 (1989) 10
Katashima, Y., see H. Nakatsuka 74 (1989) 219
Key, M.H., see M. Grande 74 (1990) 309
Khastgir, P., see K.V.S. Subramaniyam 74 (1989) 49
Kiehn, G., see M. Grande 74 (1990) 309
Kobayashi, K., K. Akiyama, T. Suzuki, I. Yoshizawa and T. Asakura, Laser-scanning imaging system for real-time measurements of 3-D object profiles 74 (1989) 165
Kocsis, G., see J.S. Bakos 74 (1990) 374
Koprinkov, I.G., see T.G. Kortenski 74 (1990) 370
Kortenski, T.G., I.K. Ilev and I.G. Koprinkov, Cavity-taper output Nd^{3+}:YAG laser 74 (1990) 370
Kotani, M., see Y. Shimizu 74 (1989) 190
Kothari, N.C. and G.S. Agarwal, Effects of collisional mixing on subharmonic Raman resonances in nonlinear spectroscopy 74 (1990) 342
Kovács, J., see J.S. Bakos 74 (1990) 374
Krackhardt, U. and N. Streibl, Design of Dammann-gratings for array generation 74 (1989) 31
Kryzhanovsky, B.V., see V.M. Avakyan 74 (1989) 223
Kuroda, K., see M. Itoh 74 (1989) 253
Kuśnierz, M., see M. Szczurek 74 (1989) 121
Kuznetsov, A.V., see E.M. Dianov 74 (1989) 152

Labaune, C., see S.D. Baton 74 (1989) 195
Lacaze, J.L., see S.D. Baton 74 (1989) 195
Lais, P., Comment on "The effects of negative binomial field distribution on rabi oscillations in a two level atom" 74 (1989) 107
Lawandy, N.M., Light induced transport and delocalization in transparent amorphous systems 74 (1989) 180
Lee, J.H., B.M. Tabibi, D.H. Humes and W.R. Weaver, Perfluoro-N-hexyl iodide as gain media for high power, continuous solar-pumped lasers 74 (1990) 380
Leggatt, J.S., see P.E. Dyer 74 (1989) 124
Lemanski, C.L., see R.G. Johnston 74 (1990) 279
Leonardi, C., see G. Vetri 74 (1990) 333
Le Pas de Sécheval, H., see C. Bendjaballah 74 (1990) 403
Lévy, Y., see D. Morichère 74 (1989) 69
Lewis, C.L.S., see M. Grande 74 (1990) 309
Li, H.M. and K. Vogler, Confocal positive branch-filtering unstable resonator for Nd:YAG laser 74 (1989) 79
Li, Y., see S. Qian 74 (1990) 414
Liu, L., see J. Ma 74 (1989) 15
Liu, L., see L. Zhang 74 (1990) 295
Lu, J., see X.-W. Ni 74 (1989) 185

Lu, N., see L.A. Lugiato 74 (1990) 327
Lu, W., J.S. Uppal and R.G. Harrison, Absorptive bistability in coherently pumped three-level lasers 74 (1990) 393
Lu, X., Z. Shi and M. Qiu, Laser-induced thermochemical vapor deposition of absorption films with a quasi-anti-gaussian profile 74 (1990) 306
Lugiato, L.A., N. Lu and M.O. Scully, Amplitude squeezing and sub-poissonian photon statistics in a two-photon correlated-spontaneous-emission laser 74 (1990) 327

Ma, J., L. Liu, Z. Wang and L. Xu, Controllable real-time simple spatial filter based on selectively erasing in photorefractive two-beam coupling 74 (1989) 15
Ma, Z., see X.-W. Ni 74 (1989) 185
Maier, A.A., see E.M. Dianov 74 (1989) 152
Mandel, P., see M. Haelterman 74 (1989) 238
Manley, K., see R.G. Johnston 74 (1990) 279
Masalov, I.N., see V.P. Tychinsky 74 (1989) 37
Matsushima, R., see N. Okamoto 74 (1990) 421
Mehring, M., see S. Appelt 74 (1989) 110
Menon, V.J., see K.V.S. Subramaniyam 74 (1989) 49
Menzel, R. and P. Witte, Characteristic lifetimes derived from steady state photophysical hole burning measurements on crystal violet in water at room temperature 74 (1989) 115
Mishra, S.R. and K.C. Rustagi, Contribution of longitudinal electric field of a gaussian beam to second harmonic generation 74 (1990) 419
Morichère, D., V. Dentan, F. Kajzar, P. Robin, Y. Lévy and M. Dumont, Kerr effect and electrostriction in thin polymeric films. Application to polysilane films 74 (1989) 69

Nakatsuka, H., Y. Katashima, K. Inouye, R. Yano and S. Uemura, Fluorescence lifetime measurement of semiconductor doped glass by using incoherent light gated optical Kerr shutter 74 (1989) 219
Nakhe, S.V., see R. Bhatnagar 74 (1989) 93
Nampoori, V.P.N., see P. Sathy 74 (1990) 313
Nassisi, V., see J.W. Chen 74 (1989) 211
Ni, X.-W., J. Lu, A.-Z. He, Z. Ma and J.-L. Zhou, The study of laser-produced plasma on dielectric thin films 74 (1989) 185
Nolting, J., see S. Burdulis 74 (1990) 398

Ogura, I., see M. Itoh 74 (1989) 253
Ohyama, N., see M. Yachida 74 (1989) 5
Okamoto, N., T. Abe, D. Chen, H. Fujimura and R. Matsushima, Large second harmonic generation from mixtures of para-nitroaniline and its N-alkyl derivatives 74 (1990) 421
Okhotnikov, O.G., see E.M. Dianov 74 (1989) 152
Oldroyd, A.R., see G.H. Cross 74 (1990) 425

Palma, C., see F. Gori 74 (1990) 353
Pankov, V.L., see V.P. Tychinsky 74 (1989) 37
Pantelic, D.V., Sector transform and its optical realisation 74 (1989) 155
Paré, C., L. Gagnon and P.-A. Bélanger, Spatial solitary wave in a weakly saturated amplifying/absorbing medium 74 (1989) 228

Peall, R.G., see R.R.A. Syms 74 (1989) 46
Perrone, M.R., see J.W. Chen 74 (1989) 211
Pert, G.J., see M. Grande 74 (1990) 309
Pesquera, L. and R. Blanco, Analysis of the intensity correlation functions of gas ring lasers with backscattering 74 (1989) 102
Philip, R., see P. Sathy 74 (1990) 313
Piliszek, J., see K. Chałasińska-Macukow 74 (1989) 25
Piskarskas, A., see S. Burdulis 74 (1990) 398

Qian, S., S. Yuan, Y. Li, H. Wang, X. Huang and Z. Yu, Comparison between the temporal characteristics of picosecond SRS from the cell and SRO from the droplet 74 (1990) 414
Qiu, M., see X. Lu 74 (1990) 306

Ramsden, S.A., see M. Grande 74 (1990) 309
Regan, G., see M. Grande 74 (1990) 309
Robertsson, L., see J.-M. Chartier 74 (1989) 87
Robin, P., see D. Morichère 74 (1989) 69
Rose, S.J., see M. Grande 74 (1990) 309
Rustagi, K.C., see S.R. Mishra 74 (1990) 419

Salin, A., see J. Turunen 74 (1989) 245
Sambles, J.R., see F. Yang 74 (1989) 1
Santarsiero, M., see F. Gori 74 (1990) 353
Sarkisyan, D.G., see V.M. Avakyan 74 (1989) 223
Sathy, P., R. Philip, V.P.N. Nampoori and C.P.G. Vallabhan, Observation of two-photon absorption in Rhodamine 6G using photoacoustic technique 74 (1990) 313
Scheufler, P., see S. Appelt 74 (1989) 110
Scully, M.O., see L.Z. Wang 74 (1989) 59
Scully, M.O., see L.A. Lugiato 74 (1990) 327
Shcherbakov, I.A., see E.M. Dianov 74 (1989) 152
Shi, Z., see X. Lu 74 (1990) 306
Shimizu, Y. and M. Kotani, Alignment of dye molecules by mechanical brushing studied through polarized absorption and surface second-harmonic generation 74 (1989) 190
Silverman, M.P. and J. Badoz, Large enhancement of chiral asymmetry in light reflection near critical angle 74 (1989) 129
Silverman, M.P., Differential amplification of circularly polarised light by enhanced internal reflection from an active chiral medium 74 (1989) 134
Singh, B., see R. Bhatnagar 74 (1989) 93
Sinkevicius, G., see S. Burdulis 74 (1990) 398
Sitarsky, K.Yu., see E.M. Dianov 74 (1989) 152
Smith, R., see M. Grande 74 (1990) 309
Solymar, L., see D.J. Webb 74 (1990) 386
Stefanov, I.L., see S.G. Dinev 74 (1989) 176
Streibl, N., see U. Krackhardt 74 (1989) 31
Strobl, K.H. and R. Cuykendall, Nonlinear interface: three-dimensional versus saturated model predictions in light of new experimental findings 74 (1990) 389
Subramaniyam, K.V.S., V.J. Menon, P. Khastgir and K.K. Dey, Theoretical study of a W-

fiber with a central dip yielding low dispersion over a wide wavelength range 74 (1989) 49
Sun, J.W., see J.Y. Gao 74 (1990) 409
Suzuki, T., see K. Kobayashi 74 (1989) 165
Syms, R.R.A. and R.G. Peall, Mode confinement and modal overlap in electro-optic channel waveguide devices 74 (1989) 46
Szczurek, M. and M. Kuśnierz, Formation of dynamic gratings by coherent interaction of atomic states and measurement of transverse relaxation time 74 (1989) 121
Szigeti, J., see J.S. Bakos 74 (1990) 374

Tabibi, B.M., see J.H. Lee 74 (1990) 380
Telegdi, V.L., see X. Chen 74 (1990) 301
Thienpont, H., see M. Haelterman 74 (1989) 238
Tomie, T., see M. Grande 74 (1990) 309
Toyooka, S., see H. Kadono 74 (1989) 159
Tsang, H.K. and I.H. White, Polarisation dependent optical modulation using the plasma effect in a GaAs-GaAlAs quantum well waveguide 74 (1990) 365
Turunen, J., A. Vasara, J. Westerholm and A. Salin, Stripe-geometry two-dimensional Dammann gratings 74 (1989) 245
Twardwoski, T., see A.D. Boardman 74 (1990) 347
Tychinsky, V.P., I.N. Masalov, V.L. Pankov and D.V. Ublinsky, Computerized phase microscope for investigation of submicron structures 74 (1989) 37
Tychinsky, V.P., On superresolution of phase objects 74 (1989) 41

Ublinsky, D.V., see V.P. Tychinsky 74 (1989) 37
Uemura, S., see H. Nakatsuka 74 (1989) 219
Uppal, J.S., see W. Lu 74 (1990) 393

Vaglica, A., see G. Vetri 74 (1990) 333
Vainos, N.A., see S.L. Clapham 74 (1990) 290
Vallabhan, C.P.G., see P. Sathy 74 (1990) 313
Vasara, A., see J. Turunen 74 (1989) 245
Veretennicoff, I., see M. Haelterman 74 (1989) 238
Verhoeven, D.D., Use of holographic deflectometry for the study of transparent objects 74 (1990) 357
Vetri, G., C. Leonardi and A. Vaglica, The degenerate parametric amplifier in a cavity and the unitary transformation which generates the external field 74 (1990) 333
Vogler, K., see H.M. Li 74 (1989) 79
Volostnikov, V.G., see E.G. Abramochkin 74 (1989) 139, 144

Wallenstein, R., see S. Burdulis 74 (1990) 398
Wan, L., Y. Yuan and G. Assanto, Switching and self-pulsing with dynamic holographic gratings in photorefractive waveguides 74 (1990) 361
Wang, H., see S. Qian 74 (1990) 414
Wang, L.Z., A. Gavrielides and M.O. Scully, Precise measurement of the difference of two decay rates and transient spectroscopy yielding subnatural linewidth 74 (1989) 59
Wang, Y.-Q., see D.-H. Yang 74 (1989) 54
Wang, Z., see J. Ma 74 (1989) 15
Watanabe, S., see M. Itoh 74 (1989) 253

Weaver, W.R., see J.H. Lee 74 (1990) 380
Webb, C.E., see R.A. Cotton 74 (1989) 214
Webb, D.J. and L. Solymar, Observations of spatial subharmonics arising during two-wave mixing in BSO 74 (1990) 386
Weis, A., see X. Chen 74 (1990) 301
Westerholm, J., see J. Turunen 74 (1989) 245
White, I.H., see H.K. Tsang 74 (1990) 365
Willi, O., see M. Grande 74 (1990) 309
Witte, P., see R. Menzel 74 (1989) 115
Wolf, E., see B. Cairns 74 (1990) 284
Worboys, M.R., see G.H. Cross 74 (1990) 425
Wright, E.M., see A.D. Boardman 74 (1990) 347

Xie, Y., Z. Chen, J. Zhou, Y. Huang, G. Yang and S. Gu, Reflective optical bistability in a GaAs/GaAlAs multiple quantum well waveguide with a grating 74 (1990) 339
Xu, L., see J. Ma 74 (1989) 15

Yachida, M., N. Ohyama and T. Honda, Image restoration using synthetic image processing method 74 (1989) 5
Yajima, T., see H. Hiraga 74 (1990) 323
Yakovleva, T.V., see Z.M. Benenson 74 (1989) 269
Yang, D.-H. and Y.-Q. Wang, Study on the saturation absorption of cesium 74 (1989) 54
Yang, F., G.W. Bradberry and J.R. Sambles, Surface plasmon observed using a scanning index method 74 (1989) 1
Yang, G., see Y. Xie 74 (1990) 339
Yano, R., see H. Nakatsuka 74 (1989) 219
Yoshizawa, I., see K. Kobayashi 74 (1989) 165
Yu, F.T.S. and Y.S. Cheng, Deblurring using joint transform processor 74 (1989) 19
Yu, Z., see S. Qian 74 (1990) 414
Yu, Z.X., see J.Y. Zhou 74 (1989) 75
Yuan, S., see S. Qian 74 (1990) 414
Yuan, Y., see L. Wan 74 (1990) 361

Zhang, L. and L. Liu, Incoherent optical implementation of 2-D complex discrete Fourier transform and equivalent 4-f system 74 (1990) 295
Zhen, Z.R., see J.Y. Gao 74 (1990) 409
Zhou, D.J., see J.Y. Zhou 74 (1989) 75
Zhou, J., see Y. Xie 74 (1990) 339
Zhou, J.-L., see X.-W. Ni 74 (1989) 185
Zhou, J.Y., D.J. Zhou, Z.Z. Huang and Z.X. Yu, Dye laser transverse mode control using capillaries 74 (1989) 75
Zhu, Z.-H., see S.-L. Chen 74 (1989) 84

SUBJECT INDEX TO VOLUME 74

Propagation and transmission in homogeneous media

Surface plasmon observed using a scanning index method, F. Yang, G.W. Bradberry and J.R. Sambles 74 (1989) 1
Large enhancement of chiral asymmetry in light reflection near critical angle, M.P. Silverman and J. Badoz 74 (1989) 129
Differential amplification of circularly polarised light by enhanced internal reflection from an active chiral medium, M.P. Silverman 74 (1989) 134
Two-dimensional phase problem: differential approach, E.G. Abramochkin and V.G. Volostnikov 74 (1989) 139
Relationship between two-dimensional intensity and phase in a Fresnel diffraction zone, E.G. Abramochkin and V.G. Volostnikov 74 (1989) 144
Characterizing gastrolith surface roughness with light scattering, R.G. Johnston, K. Manley and C.L. Lemanski 74 (1990) 279
A scattering experiment with partially coherent light, F. Gori, C. Palma and M. Santarsiero 74 (1990) 353
Nonlinear interface: three-dimensional versus saturated model predictions in light of new experimental findings, K.H. Strobl and R. Cuykendall 74 (1990) 389

Propagation and transmission in inhomogeneous media

Probability of arrival of rays of light for propagation through random media: connection with rotational brownian motion, S. Chatterjee 74 (1989) 149
Comparison of the Born and the Rytov approximations for scattering on quasi-homogeneous media, B. Cairns and E. Wolf 74 (1990) 284

Optical information, image formation and analysis, optical computing

Image restoration using synthetic image processing method, M. Yachida, N. Ohyama and T. Honda 74 (1989) 5
Edge detection using optical symbolic substitution, A.K. Cherri and M.A. Karim 74 (1989) 10
Controllable real-time simple spatial filter based on selectively erasing in photorefractive two-beam coupling, J. Ma, L. Liu, Z. Wang and L. Xu 74 (1989) 15
Deblurring using joint transform processor, F.T.S. Yu and Y.S. Cheng 74 (1989) 19
Scale-invariant limitations of anamorphic Fourier correlators, K. Chałasińska-Macukow, J. Piliszek and B. Janowska-Dmoch 74 (1989) 25
Design of Dammann-gratings for array generation, U. Krackhardt and N. Streibl 74 (1989) 31
Computerized phase microscope for investigation of submicron structures, V.P. Tychinsky, I.N. Masalov, V.L. Pankov and D.V. Ublinsky 74 (1989) 37
On superresolution of phase objects, V.P. Tychinsky 74 (1989) 41
Observation of radiation self-switching in dual-core fiber coupler with separated ends, E.M. Dianov, A.V. Kuznetsov, A.A. Maier, O.G. Okhotnikov, K.Yu. Sitarsky and I.A. Shcherbakov 74 (1989) 152

Sector transform and its optical realisation, D.V. Pantelic 74 (1989) 155
Experimental study of the optical velocimeter using a double-exposure specklegram, H. Kadono and S. Toyooka 74 (1989) 159
Laser-scanning imaging system for real-time measurements of 3-D object profiles, K. Kobayashi, K. Akiyama, T. Suzuki, I. Yoshizawa and T. Asakura 74 (1989) 165
Application of Talbot effect to drops and thin films shape and wetting angles measurements, A.M. Andreyev and V.M. Ginzburg 74 (1989) 171
Stripe-geometry two-dimensional Dammann gratings, J. Turunen, A. Vasara, J. Westerholm and A. Salin 74 (1989) 245
Spatial light modulation via enhanced diffraction efficiency of photochromic gratings in photorefractive BSO, S.L. Clapham, R.W. Eason and N.A. Vainos 74 (1990) 290
Incoherent optical implementation of 2-D complex discrete Fourier transform and equivalent 4-f system, L. Zhang and L. Liu 74 (1990) 295
Use of holographic deflectometry for the study of transparent objects, D.D. Verhoeven 74 (1990) 357

Optical communications

Mode confinement and modal overlap in electro-optic channel waveguide devices, R.R.A. Syms and R.G. Peall 74 (1989) 46
Theoretical study of a W-fiber with a central dip yielding low dispersion over a wide wavelength range, K.V.S. Subramaniyam, V.J. Menon, P. Khastgir and K.K. Dey 74 (1989) 49
Observation of radiation self-switching in dual-core fiber coupler with separated ends, E.M. Dianov, A.V. Kuznetsov, A.A. Maier, O.G. Okhotnikov, K.Yu. Sitarsky and I.A. Shcherbakov 74 (1989) 152
Switching and self-pulsing with dynamic holographic gratings in photorefractive waveguides, L. Wan, Y. Yuan and G. Assanto 74 (1990) 361
Polarisation dependent optical modulation using the plasma effect in a GaAs-GaAlAs quantum well waveguide, H.K. Tsang and I.H. White 74 (1990) 365
Cavity-taper output Nd^{3+}:YAG laser, T.G. Kortenski, I.K. Ilev and I.G. Koprinkov 74 (1990) 370

Atomic and molecular physics

Study on the saturation absorption of cesium, D.-H. Yang and Y.-Q. Wang 74 (1989) 54
Precise measurement of the difference of two decay rates and transient spectroscopy yielding subnatural linewidth, L.Z. Wang, A. Gavrielides and M.O. Scully 74 (1989) 59
Redistribution of the output spectrum of a parametric oscillator by intracavity ground-state atoms, G.S. Agarwal 74 (1989) 65
Efficient red stimulated emission enhanced by quadrupole Raman scattering, S.G. Dinev, G.G. Hadjichristov and I.L. Stefanov 74 (1989) 176
Quantitative study of the nonlinear Macaluso–Corbino (resonant Faraday) effect in Cs, X. Chen, V.L. Telegdi and A. Weis 74 (1990) 301

Condensed matter

Kerr effect and electrostriction in thin polymeric films. Application to polysilane films, D. Morichère, V. Dentan, F. Kajzar, P. Robin, Y. Lévy and M. Dumont 74 (1989) 69
Light induced transport and delocalization in transparent amorphous systems, N.M. Lawandy 74 (1989) 180

The study of laser-produced plasma on dielectric thin films, X.-W. Ni, J. Lu, A.-Z. He, Z. Ma and J.-L. Zhou 74 (1989) 185
Alignment of dye molecules by mechanical brushing studied through polarized absorption and surface second-harmonic generation, Y. Shimizu and M. Kotani 74 (1989) 190
Laser-induced damage threshold and absorption measurements in rare-gas-halide excimer laser components, M. Itoh, A. Endo, K. Kuroda, S. Watanabe and I. Ogura 74 (1989) 253
Laser-induced thermochemical vapor deposition of absorption films with a quasi-anti-gaussian profile, X. Lu, Z. Shi and M. Qiu 74 (1990) 306
Observation of two-photon absorption in Rhodamine 6G using photoacoustic technique, P. Sathy, R. Philip, V.P.N. Nampoori and C.P.G. Vallabhan 74 (1990) 313
Polarisation dependent optical modulation using the plasma effect in a GaAs-GaAlAs quantum well waveguide, H.K. Tsang and I.H. White 74 (1990) 365

Plasmas

Influence of absorption and refraction on laser interaction studies in preformed plasmas, S.D. Baton, C. Labaune and J.L. Lacaze 74 (1989) 195
A neon-like X-ray laser photoresonant pumping scheme, B.N. Chichkov and E.E. Fill 74 (1989) 202
Measurement and detailed analysis of single pass gain at 81 Å in a recombining laser produced fluorine plasma, M. Grande, M.H. Key, G. Kiehn, C.L.S. Lewis, G.J. Pert, S.A. Ramsden, G. Regan, S.J. Rose, R. Smith, T. Tomie and O. Willi 74 (1990) 309
Absolute measurement of velocity distribution of neutrals in sodium laser blow-off beam, J.S. Bakos, I.B. Földes, P.N. Ignácz, G. Kocsis, J. Szigeti and J. Kovács 74 (1990) 374

Lasers

Dye laser transverse mode control using capillaries, J.Y. Zhou, D.J. Zhou, Z.Z. Huang and Z.X. Yu 74 (1989) 75
Confocal positive branch-filtering unstable resonator for Nd:YAG laser, H.M. Li and K. Vogler 74 (1989) 79
A class of novel laser dyes: triphenodioxazines, S.-L. Chen, Z.-H. Zhu and K.-C. Chen 74 (1989) 84
Frequency-stabilized 543 nm He Ne laser systems: a new candidate for the realization of the metre?, J.-M. Chartier, S. Fredin-Picard and L. Robertsson 74 (1989) 87
Performance of a copper vapor laser with self filtered unstable resonator, R. Bhatnagar, S.K. Dixit, B. Singh and S.V. Nakhe 74 (1989) 93
Instabilities in a semiconductor laser with delayed optoelectronic feedback, G. Giacomelli, M. Calzavara and F.T. Arecchi 74 (1989) 97
Analysis of the intensity correlation functions of gas ring lasers with backscattering, L. Pesquera and R. Blanco 74 (1989) 102
An optical isolator for mid-infrared diode lasers, C.B. Carlisle and D.E. Cooper 74 (1989) 207
Narrow-linewidth SFUR applied to a XeCl laser, J.W. Chen, V. Nassisi and M.R. Perrone 74 (1989) 211
Radiation induced opacity: application to pulse shortening of a KrF laser, R.A. Cotton, A.J. Andrews and C.E. Webb 74 (1989) 214
Laser-induced damage threshold and absorption measurements in rare-gas-halide excimer laser components, M. Itoh, A. Endo, K. Kuroda, S. Watanabe and I. Ogura 74 (1989) 253
Analysis of a coherent model for a homogeneously broadened bidirectional ring laser, L.M. Hoffer and N.B. Abraham 74 (1989) 261

Laser-induced thermochemical vapor deposition of absorption films with a quasi-anti-gaussian profile, X. Lu, Z. Shi and M. Qiu 74 (1990) 306
Observation of two-photon absorption in Rhodamine 6G using photoacoustic technique, P. Sathy, R. Philip, V.P.N. Nampoori and C.P.G. Vallabhan 74 (1990) 313
Frequency stable long pulse operation of a self sustained TE CO_2 laser, P.K. Gupta and R.G. Harrison 74 (1990) 318
High-power tunable femtosecond laser system using high dispersion prism compressors, H. Hiraga, Y. Ishida and T. Yajima 74 (1990) 323
Amplitude squeezing and sub-poissonian photon statistics in a two-photon correlated-spontaneous-emission laser, L.A. Lugiato, N. Lu and M.O. Scully 74 (1990) 327
Cavity-taper output Nd^{3+}:YAG laser, T.G. Kortenski, I.K. Ilev and I.G. Koprinkov 74 (1990) 370
Perfluoro-N-hexyl iodide as gain media for high power, continuous solar-pumped lasers, J.H. Lee, B.M. Tabibi, D.H. Humes and W.R. Weaver 74 (1990) 380

Nonlinear optics

Redistribution of the output spectrum of a parametric oscillator by intracavity ground-state atoms, G.S. Agarwal 74 (1989) 65
Kerr effect and electrostriction in thin polymeric films. Application to polysilane films, D. Morichère, V. Dentan, F. Kajzar, P. Robin, Y. Lévy and M. Dumont 74 (1989) 69
Comment on "The effects of negative binomial field distribution on rabi oscillations in a two level atom", P. Lais 74 (1989) 107
Direct observation of single- and double-quantum sublevel coherence in rubidium vapor by optical Raman beat detection, S. Appelt, P. Scheufler and M. Mehring 74 (1989) 110
Characteristic lifetimes derived from steady state photophysical hole burning measurements on crystal violet in water at room temperature, R. Menzel and P. Witte 74 (1989) 115
Formation of dynamic gratings by coherent interaction of atomic states and measurement of transverse relaxation time, M. Szczurek and M. Kuśnierz 74 (1989) 121
Phase conjugation studies of a quasi-cw CO_2 laser in liquid CS_2, P.E. Dyer and J.S. Leggatt 74 (1989) 124
Observation of radiation self-switching in dual-core fiber coupler with separated ends, E.M. Dianov, A.V. Kuznetsov, A.A. Maier, O.G. Okhotnikov, K.Yu. Sitarsky and I.A. Shcherbakov 74 (1989) 152
Alignment of dye molecules by mechanical brushing studied through polarized absorption and surface second-harmonic generation, Y. Shimizu and M. Kotani 74 (1989) 190
Fluorescence lifetime measurement of semiconductor doped glass by using incoherent light gated optical Kerr shutter, H. Nakatsuka, Y. Katashima, K. Inouye, R. Yano and S. Uemura 74 (1989) 219
Investigation of transient electronic SRS by the excitation and probing technique using double train of picosecond pump pulses, V.M. Avakyan, B.V. Kryzhanovsky and D.G. Sarkisyan 74 (1989) 223
Spatial solitary wave in a weakly saturated amplifying/absorbing medium, C. Paré, L. Gagnon and P.-A. Bélanger 74 (1989) 228
New method for improving squeezed light generation involving pump fluctuations, J. Bajer 74 (1989) 233
Two-beam nonlinear Fabry-Perot transmission characteristics, M. Haelterman, P. Mandel, J. Danckaert, H. Thienpont and I. Veretennicoff 74 (1989) 238
The theory of stimulated Mandelshtam-Brillouin scattering in "running" conditions with explanation of the effect of Stokes' frequency modulation due to inhomogeneities of the scattering medium, Z.M. Benenson and T.V. Yakovleva 74 (1989) 269

Quantitative study of the nonlinear Macaluso–Corbino (resonant Faraday) effect in Cs, X. Chen, V.L. Telegdi and A. Weis 74 (1990) 301
The degenerate parametric amplifier in a cavity and the unitary transformation which generates the external field, G. Vetri, C. Leonardi and A. Vaglica 74 (1990) 333
Reflective optical bistability in a GaAs/GaAlAs multiple quantum well waveguide with a grating, Y. Xie, Z. Chen, J. Zhou, Y. Huang, G. Yang and S. Gu 74 (1990) 339
Effects of collisional mixing on subharmonic Raman resonances in nonlinear spectroscopy, N.C. Kothari and G.S. Agarwal 74 (1990) 342
The effect of diffusion on surface-guided nonlinear TM waves: a finite element approach, A.D. Boardman, T. Twardwoski and E.M. Wright 74 (1990) 347
Observations of spatial subharmonics arising during two-wave mixing in BSO, D.J. Webb and L. Solymar 74 (1990) 386
Nonlinear interface: three-dimensional versus saturated model predictions in light of new experimental findings, K.H. Strobl and R. Cuykendall 74 (1990) 389
Absorptive bistability in coherently pumped three-level lasers, W. Lu, J.S. Uppal and R.G. Harrison 74 (1990) 393
Visible optical parametric oscillation in synchronously pumped beta-barium borate, S. Burdulis, R. Grigonis, A. Piskarskas, G. Sinkevicius, A. Fix, J. Nolting and R. Wallenstein 74 (1990) 398
Cut-off rate for a noiseless binary channel in the direct detection of squeezed light, C. Bendjaballah and H. le Pas de Sécheval 74 (1990) 403
Phase shifts and frequency lockings in a modulated bistable device, J.Y. Gao, G.X. Jin, J.W. Sun, X.Z. Guo, Z.R. Zhen and N.B. Abraham 74 (1990) 409
Comparison between the temporal characteristics of picosecond SRS from the cell and SRO from the droplet, S. Qian, S. Yuan, Y. Li, H. Wang, X. Huang and Z. Yu 74 (1990) 414
Contribution of longitudinal electric field of a gaussian beam to second harmonic generation, S.R. Mishra and K.C. Rustagi 74 (1990) 419
Large second harmonic generation from mixtures of para-nitroaniline and its N-alkyl derivatives, N. Okamoto, T. Abe, D. Chen, H. Fujimura and R. Matsushima 74 (1990) 421
The linear electro-optic response in crystals of 4-nitro-4′-methyl benzylidene aniline (NMBA), G.H. Cross, A.R. Oldroyd and M.R. Worboys 74 (1990) 425